



(Tnr- 723EU-3)

## **Material Safety Data Sheet**

**Toner Type : OKT1Y / OKT2C / OKT2K /  
OKT2M**

**For Models : C9600, C9800  
C9650, C9655  
C9850  
C9750 MFP, C9850 MFP  
ES3640, ES3640e  
ES3640 MFP  
ES2640 MFP**

**Oki Data Corporation**

# Oki Data Corporation

## SAFETY DATA SHEET

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC

### TONER-BLACK-OKT2K

#### 1. Identification of the substance/preparation and of the company/undertaking

Product name : TONER-BLACK-OKT2K  
Code : 43599301  
Manufacturer : Oki Data Corporation  
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN  
Tel. +81-27-328-6366. Fax +81-27-328-6396  
Supplier : Oki (Europe) Ltd.  
1 Oki Way, Wardpark , Cumbernauld G68 0FQ, SCOTLAND, UK  
Tel. +44(0) 1236 502502  
Emergency telephone number : Tel. +44(0) 1236 502502  
Emergency e-mail contact : [MSDSQuestions@okieurope.com](mailto:MSDSQuestions@okieurope.com)

#### 2. Hazards identification

##### Potential Health Effects

Ingestion Effects : Ingestion is not applicable route of entry for intended use.  
Inhalation Effects : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.  
Eye Effects : Solid or dusts may cause irritation or scratch the surface of eye.  
Skin Effects : Unlikely to cause skin irritation.  
Environmental Hazards : No particular hazards known.

#### 3. Composition/information on ingredients

Composition / Information : This product is a mixture of below substances.

##### Hazardous ingredients :

Ingredients	CAS No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate	Proprietary	80-95%	Not listed	Not listed	Not available
Wax	Proprietary	5-15%	Not listed	Not listed	Not available
Carbon black	1333-86-4	3-10%	3.5mg/m3	3.5mg/m3	Not available
Silica	7631-86-9	1-3%	20mppcf(*) 80(%SiO2) mg/m3	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9%	15mg/m3	10mg/m3	No known

(\*) million particles/cubic foot

Further Information : No known.

#### 4. First aid measures

Ingestion : Dilute stomach contents with several glasses of water.  
Get medical attention if symptoms persist.  
Inhalation : Move person to fresh air immediately.  
If symptoms occur, consult a physician.  
Eye contact : Immediately flush with large amount of clean water for at least 15 minutes.  
If irritation persists, consult a physician.  
Skin contact : Wash affected areas thoroughly with soap and water.  
If irritation persists, consult a physician.

# TONER-BLACK-OKT2K

## 5. Fire-fighting measures

<b>Extinguishing media</b>	:	Water, foam, dry chemical
<b>Special Fire-fighting Procedure</b>	:	Keep personnel removed from and upwind of fire. Wear respiratory protection. Cool container with water spray.
<b>Unusual Fire &amp; Explosion Hazards</b>	:	Toner material, like most organic material in powder form, is capable of creating a dust explosion.

## 6. Accidental release measures

<b>Spill and Leakage Procedure :</b>	:	Wear personal protective equipment as described in Section 8. Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
<b>Environmental precautions</b>	:	Do not discharge into drains .

## 7. Handling and storage

<b>Advise on safe handling and protection against fire</b>	:	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
<b>Requirements for storage rooms and advice on compatibility</b>	:	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

## 8. Exposure controls/personal protection

### Occupational Exposure Limits For Toner

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
Respiratory protection	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

## 9. Physical and chemical properties

Appearance and odor	:	Fine powder, black, slight plastic odor.
Density	:	About 1.2g/ cm <sup>3</sup>
Boiling point	:	Not applicable
Melting point	:	Not applicable
Solubility in Water	:	Negligible
Solubility in Other Solvent	:	Partially soluble in toluene and THF
Percent Volatile by Volume	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as explosive. *1
Flammability	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as flammable. *1

# TONER-BLACK-OKT2K

## 10. Stability and reactivity

<b>Stability &amp; Reactivity</b>	:	Stable. Hazardous polymerization will not occur.
<b>Materials to Avoid</b>	:	None
<b>Hazardous decomposition</b>	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

## 11. Toxicological information

### Acute Effects

Oral	:	Acute oral toxicity: LD50 > 2000mg/kg (rat). *2
Dermal	:	Acute dermal toxicity: LD50 > 5000mg/kg (rat). *2
Inhalation	:	Acute inhalation toxicity: LC50 > 5.36mg/L (rat). *2
Eye Contact:	:	Eye irritation: Based on the EEC labeling criteria, this product is classified as nonirritant. *
Skin Contact	:	Skin irritation: Based on the EEC labeling criteria, this product is classified as nonirritant.
Sensitization	:	Skin sensitization: This product is not considered to be a contact sensitizer in guinea pigs

### Chronic Toxicity

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Inhalation	:	No test data available. In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m <sup>3</sup> ) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m <sup>3</sup> ) exposure group. But no pulmonary change was reported in the lowest (1mg/ m <sup>3</sup> ) exposure group, the most relevant level to potential human exposures. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1

**Mutagenicity** : Mutagenicity: This product did not cause a positive response in either the presence or absence of Aroclor-induced rat liver S9. \*2

**Carcinogenicity** : No data available.  
In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there are inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.  
IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO<sub>2</sub>) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. \*1

**Reproductive Toxicity** : No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous category of "toxic for reproduction". \*1

## 12. Ecological information

Avoid spills and dispose of in accordance with applicable laws and regulations.

**Aquatic Environment** : According to acute toxicity test with Medaka (*Oryzias latipes*), no toxicological symptom was observed in the control and all concentration levels during exposure (96 hours). \*2  
According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as dangerous for the environment. \*1

## TONER-BLACK-OKT2K

### 13. Disposal considerations

**Waste From This Product** : Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.  
**Recommendation** : consult with the disposal agency and the relevant authorities; cleansing agent is water.

### 14. Transport information

#### International Transport Information

**UN Number** : None  
**Hazards Class** : None

### 15. Regulatory information

**Label Information According to the DIRECTIVE 1999/45/EC (EU)** : None

Please refer to any other national measures that may be relevant.

### 16. Other information

#### **MSDS STATUS**

**Documents list** : \*1: ·Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances  
·IARC Monographs  
·EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)  
\*2: In-house data

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.

# Oki Data Corporation

## SAFETY DATA SHEET

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC

### TONER-YELLOW-OKT1Y

#### 1. Identification of the substance/preparation and of the company/undertaking

**Product name** : TONER-YELLOW-OKT1Y  
**Code** : 42861801  
**Manufacturer** : Oki Data Corporation  
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN  
Tel. +81-27-328-6366. Fax +81-27-328-6396  
**Supplier** : Oki (Europe) Ltd.  
1 Oki Way, Wardpark , Cumbernauld G68 0FQ, SCOTLAND, UK  
Tel. +44(0) 1236 502502  
**Emergency telephone number** : Tel. +44(0) 1236 502502  
**Emergency e-mail contact** : [MSDSQuestions@okieurope.com](mailto:MSDSQuestions@okieurope.com)

#### 2. Hazards identification

##### Potential Health Effects

**Ingestion Effects** : Ingestion is not applicable route of entry for intended use.  
**Inhalation Effects** : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.  
**Eye Effects** : Solid or dusts may cause irritation or scratch the surface of eye.  
**Skin Effects** : Unlikely to cause skin irritation.  
**Environmental Hazards** : No particular hazards known.

#### 3. Composition/information on ingredients

**Composition / Information** : This product is a mixture of below substances.

##### Hazardous ingredients :

Ingredients	CAS No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate	Proprietary	80-95%	Not listed	Not listed	Not available
Wax	Proprietary	5-15%	Not listed	Not listed	Not available
Pigment	Proprietary	3-10%	Not listed	Not listed	Not available
Silica	7631-86-9	1-3%	20mppcf(*) 80(%SiO <sub>2</sub> ) mg/m <sup>3</sup>	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9%	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>	No known

(\*) million particles/cubic foot

**Further Information** : No known.

#### 4. First aid measures

**Ingestion** : Dilute stomach contents with several glasses of water.  
Get medical attention if symptoms persist.  
**Inhalation** : Move person to fresh air immediately.  
If symptoms occur, consult a physician.  
**Eye contact** : Immediately flush with large amount of clean water for at least 15 minutes.  
If irritation persists, consult a physician.  
**Skin contact** : Wash affected areas thoroughly with soap and water.  
If irritation persists, consult a physician.

## TONER-YELLOW-OKT1Y

### 5. Fire-fighting measures

<b>Extinguishing media</b>	:	Water, foam, dry chemical
<b>Special Fire-fighting Procedure</b>	:	Keep personnel removed from and upwind of fire. Wear respiratory protection. Cool container with water spray.
<b>Unusual Fire &amp; Explosion Hazards</b>	:	Toner material, like most organic material in powder form, is capable of creating a dust explosion.

### 6. Accidental release measures

<b>Spill and Leakage Procedure :</b>	:	Wear personal protective equipment as described in Section 8. Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
<b>Environmental precautions</b>	:	Do not discharge into drains .

### 7. Handling and storage

<b>Advise on safe handling and protection against fire</b>	:	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
<b>Requirements for storage rooms and advice on compatibility</b>	:	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

### 8. Exposure controls/personal protection

#### Occupational Exposure Limits For Toner

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
Respiratory protection	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

### 9. Physical and chemical properties

Appearance and odor	:	Fine powder, yellow, slight plastic odor.
Density	:	About 1.2g/ cm <sup>3</sup>
Boiling point	:	Not applicable
Melting point	:	Not applicable
Solubility in Water	:	Negligible
Solubility in Other Solvent	:	Partially soluble in toluene and THF
Percent Volatile by Volume	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as explosive. *1
Flammability	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as flammable. *1

# TONER-YELLOW-OKT1Y

## 10. Stability and reactivity

<b>Stability &amp; Reactivity</b>	:	Stable. Hazardous polymerization will not occur.
<b>Materials to Avoid</b>	:	None
<b>Hazardous decomposition</b>	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

## 11. Toxicological information

### Acute Effects

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when swallowed. *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when absorbed via the skin. *1
Inhalation	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when inhaled. *1
Eye Contact:	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the ocular tissue. *1
Skin Contact	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the skin. *1
Sensitization	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as a sensitizer. *1

### Chronic Toxicity

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Inhalation	:	No test data available. In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m3) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m3) exposure group. But no pulmonary change was reported in the lowest (1mg/ m3) exposure group, the most relevant level to potential human exposures. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1

**Mutagenicity** : Mutagenicity: This product did not cause a positive response in either the presence or absence of Aroclor-induced rat liver S9. \*2

**Carcinogenicity** : No data available.  
IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO<sub>2</sub>) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. \*1

**Reproductive Toxicity** : No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous category of "toxic for reproduction". \*1

## 12. Ecological information

No data available for ecological and wastewater treatment (sewage) systems.  
Avoid spills and dispose of in accordance with applicable laws and regulations.

**Aquatic Environment** : No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as dangerous for the environment. \*1



## TONER-YELLOW-OKT1Y

### 13. Disposal considerations

Waste From This Product : Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.  
Recommendation : consult with the disposal agency and the relevant authorities; cleansing agent is water.

### 14. Transport information

#### International Transport Information

UN Number : None  
Hazards Class : None

### 15. Regulatory information

Label Information According : None  
to the DIRECTIVE 1999/45/EC  
(EU)

Please refer to any other national measures that may be relevant.

### 16. Other information

#### MSDS STATUS

Documents list : \*1: ·Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances  
·IARC Monographs volumes  
·EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)  
\*2: In-house data

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.

# Oki Data Corporation

## SAFETY DATA SHEET

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC

### TONER-MAGENTA-OKT2M

#### 1. Identification of the substance/preparation and of the company/undertaking

Product name : TONER-MAGENTA-OKT2M  
Code : 43599101  
Manufacturer : Oki Data Corporation  
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN  
Tel. +81-27-328-6366. Fax +81-27-328-6396  
Supplier : Oki (Europe) Ltd.  
1 Oki Way, Wardpark , Cumbernauld G68 0FQ, SCOTLAND, UK  
Tel. +44(0) 1236 502502  
Emergency telephone number : Tel. +44(0) 1236 502502  
Emergency e-mail contact : [MSDSQuestions@okieurope.com](mailto:MSDSQuestions@okieurope.com)

#### 2. Hazards identification

##### Potential Health Effects

Ingestion Effects : Ingestion is not applicable route of entry for intended use.  
Inhalation Effects : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.  
Eye Effects : Solid or dusts may cause irritation or scratch the surface of eye.  
Skin Effects : Unlikely to cause skin irritation.

Environmental Hazards : No particular hazards known.

#### 3. Composition/information on ingredients

Composition / Information : This product is a mixture of below substances.

##### Hazardous ingredients :

Ingredients	CAS No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate	Proprietary	80-95%	Not listed	Not listed	Not available
Wax	Proprietary	5-15%	Not listed	Not listed	Not available
Pigment	Proprietary	3-10%	Not listed	Not listed	Not available
Silica	7631-86-9	1-3%	20mppcf(*) 80(%SiO2) mg/m3	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9%	15mg/m3	10mg/m3	No known

(\*) million particles/cubic foot

Further Information : No known.

#### 4. First aid measures

Ingestion : Dilute stomach contents with several glasses of water.  
Get medical attention if symptoms persist.  
Inhalation : Move person to fresh air immediately.  
If symptoms occur, consult a physician.  
Eye contact : Immediately flush with large amount of clean water for at least 15 minutes.  
If irritation persists, consult a physician.  
Skin contact : Wash affected areas thoroughly with soap and water.  
If irritation persists, consult a physician.

# TONER-MAGENTA-OKT2M

## 5. Fire-fighting measures

<b>Extinguishing media</b>	:	Water, foam, dry chemical
<b>Special Fire-fighting Procedure</b>	:	Keep personnel removed from and upwind of fire. Wear respiratory protection. Cool container with water spray.
<b>Unusual Fire &amp; Explosion Hazards</b>	:	Toner material, like most organic material in powder form, is capable of creating a dust explosion.

## 6. Accidental release measures

<b>Spill and Leakage Procedure :</b>	:	Wear personal protective equipment as described in Section 8. Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
<b>Environmental precautions</b>	:	Do not discharge into drains .

## 7. Handling and storage

<b>Advise on safe handling and protection against fire</b>	:	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
<b>Requirements for storage rooms and advice on compatibility</b>	:	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

## 8. Exposure controls/personal protection

### Occupational Exposure Limits For Toner

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
Respiratory protection	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

## 9. Physical and chemical properties

Appearance and odor	:	Fine powder, red, slight plastic odor.
Density	:	About 1.2g/ cm <sup>3</sup>
Boiling point	:	Not applicable
Melting point	:	Not applicable
Solubility in Water	:	Negligible
Solubility in Other Solvent	:	Partially soluble in toluene and THF
Percent Volatile by Volume	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as explosive. *1
Flammability	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as flammable. *1

# TONER-MAGENTA-OKT2M

## 10. Stability and reactivity

<b>Stability &amp; Reactivity</b>	:	Stable. Hazardous polymerization will not occur.
<b>Materials to Avoid</b>	:	None
<b>Hazardous decomposition</b>	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

## 11. Toxicological information

### Acute Effects

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when swallowed. *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when absorbed via the skin. *1
Inhalation	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when inhaled. *1
Eye Contact:	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the ocular tissue. *1
Skin Contact	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the skin. *1
Sensitization	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as a sensitizer. *1

### Chronic Toxicity

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Inhalation	:	No test data available. In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m <sup>3</sup> ) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m <sup>3</sup> ) exposure group. But no pulmonary change was reported in the lowest (1mg/ m <sup>3</sup> ) exposure group, the most relevant level to potential human exposures. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1

**Mutagenicity** : Mutagenicity: This product did not cause a positive response in either the presence or absence of Aroclor-induced rat liver S9. \*2

**Carcinogenicity** : No data available.  
IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO<sub>2</sub>) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. \*1

**Reproductive Toxicity** : No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous category of "toxic for reproduction". \*1

## 12. Ecological information

No data available for ecological and wastewater treatment (sewage) systems.  
Avoid spills and dispose of in accordance with applicable laws and regulations.

**Aquatic Environment** : No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as dangerous for the environment. \*1

## TONER-MAGENTA-OKT2M

### 13. Disposal considerations

**Waste From This Product** : Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.  
**Recommendation** : consult with the disposal agency and the relevant authorities; cleansing agent is water.

### 14. Transport information

#### International Transport Information

**UN Number** : None  
**Hazards Class** : None

### 15. Regulatory information

**Label Information According to the DIRECTIVE 1999/45/EC (EU)** : None

Please refer to any other national measures that may be relevant.

### 16. Other information

#### **MSDS STATUS**

**Documents list** : \*1: ·Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances  
·IARC Monographs volumes  
·EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)  
\*2: In-house data

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.

# Oki Data Corporation

## SAFETY DATA SHEET

Conforms to EU Directive 91/155/EEC, as amended by 2001/58/EC

### TONER-CYAN-OKT2C

#### 1. Identification of the substance/preparation and of the company/undertaking

Product name : TONER-CYAN-OKT2C  
Code : 43599201  
Manufacturer : Oki Data Corporation  
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN  
Tel. +81-27-328-6366. Fax +81-27-328-6396  
Supplier : Oki (Europe) Ltd.  
1 Oki Way, Wardpark , Cumbernauld G68 0FQ, SCOTLAND, UK  
Tel. +44(0) 1236 502502  
Emergency telephone number : Tel. +44(0) 1236 502502  
Emergency e-mail contact : [MSDSQuestions@okieurope.com](mailto:MSDSQuestions@okieurope.com)

#### 2. Hazards identification

##### Potential Health Effects

Ingestion Effects : Ingestion is not applicable route of entry for intended use.  
Inhalation Effects : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.  
Eye Effects : Solid or dusts may cause irritation or scratch the surface of eye.  
Skin Effects : Unlikely to cause skin irritation.  
Environmental Hazards : No particular hazards known.

#### 3. Composition/information on ingredients

Composition / Information : This product is a mixture of below substances.

##### Hazardous ingredients :

Ingredients	CAS No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate	Proprietary	80-95%	Not listed	Not listed	Not available
Wax	Proprietary	5-15%	Not listed	Not listed	Not available
Pigment	Proprietary	3-10%	Not listed	Not listed	Not available
Silica	7631-86-9	1-3%	20mppcf(*) 80(%SiO2) mg/m3	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9%	15mg/m3	10mg/m3	No known

(\*) million particles/cubic foot

Further Information : No known.

#### 4. First aid measures

Ingestion : Dilute stomach contents with several glasses of water.  
Get medical attention if symptoms persist.  
Inhalation : Move person to fresh air immediately.  
If symptoms occur, consult a physician.  
Eye contact : Immediately flush with large amount of clean water for at least 15 minutes.  
If irritation persists, consult a physician.  
Skin contact : Wash affected areas thoroughly with soap and water.  
If irritation persists, consult a physician.

# TONER-CYAN-OKT2C

## 5. Fire-fighting measures

<b>Extinguishing media</b>	:	Water, foam, dry chemical
<b>Special Fire-fighting Procedure</b>	:	Keep personnel removed from and upwind of fire. Wear respiratory protection. Cool container with water spray.
<b>Unusual Fire &amp; Explosion Hazards</b>	:	Toner material, like most organic material in powder form, is capable of creating a dust explosion.

## 6. Accidental release measures

<b>Spill and Leakage Procedure :</b>	:	Wear personal protective equipment as described in Section 8. Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
<b>Environmental precautions</b>	:	Do not discharge into drains .

## 7. Handling and storage

<b>Advise on safe handling and protection against fire</b>	:	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
<b>Requirements for storage rooms and advice on compatibility</b>	:	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

## 8. Exposure controls/personal protection

### Occupational Exposure Limits For Toner

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
Respiratory protection	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

## 9. Physical and chemical properties

Appearance and odor	:	Fine powder, blue, slight plastic odor.
Density	:	About 1.2g/ cm <sup>3</sup>
Boiling point	:	Not applicable
Melting point	:	Not applicable
Solubility in Water	:	Negligible
Solubility in Other Solvent	:	Partially soluble in toluene and THF
Percent Volatile by Volume	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as explosive. *1
Flammability	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as flammable. *1

# TONER-CYAN-OKT2C

## 10. Stability and reactivity

<b>Stability &amp; Reactivity</b>	:	Stable. Hazardous polymerization will not occur.
<b>Materials to Avoid</b>	:	None
<b>Hazardous decomposition</b>	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

## 11. Toxicological information

### Acute Effects

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when swallowed. *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when absorbed via the skin. *1
Inhalation	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when inhaled. *1
Eye Contact:	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the ocular tissue. *1
Skin Contact	:	No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "irritant" when contacted with the skin. *1
Sensitization	:	No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as a sensitizer. *1

### Chronic Toxicity

Oral	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Dermal	:	No test data available. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1
Inhalation	:	No test data available. In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m3) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m3) exposure group. But no pulmonary change was reported in the lowest (1mg/ m3) exposure group, the most relevant level to potential human exposures. Based on the EC labeling criteria, any components in this product are not required a risk phrase R48 (danger for serious damage to health by prolonged exposure). *1

**Mutagenicity** : Mutagenicity: This product did not cause a positive response in either the presence or absence of Aroclor-induced rat liver S9. \*2

**Carcinogenicity** : No data available.  
IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO<sub>2</sub>) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. \*1

**Reproductive Toxicity** : No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous category of "toxic for reproduction". \*1

## 12. Ecological information

No data available for ecological and wastewater treatment (sewage) systems.  
Avoid spills and dispose of in accordance with applicable laws and regulations.

**Aquatic Environment** : No data available. According to Annex 1 to Directive 67/548/EEC, the composition materials of this product are not classified as dangerous for the environment. \*1



# TONER-CYAN-OKT2C

## 13. Disposal considerations

**Waste From This Product** : Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.  
**Recommendation** : consult with the disposal agency and the relevant authorities; cleansing agent is water.

## 14. Transport information

### International Transport Information

**UN Number** : None  
**Hazards Class** : None

## 15. Regulatory information

**Label Information According to the DIRECTIVE 1999/45/EC (EU)** : None

Please refer to any other national measures that may be relevant.

## 16. Other information

### **MSDS STATUS**

**Documents list** : \*1: ·Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances  
·IARC Monographs volumes  
·EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)  
\*2: In-house data

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.