



Material Safety Data Sheet

1/3

MSDS No.: RT002-05YS

Date • **Revision** : 2001.05.15

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer :Fuji Xerox Co., Ltd
Address :Akasaka Twin Tower East,
17-22, Akasaka-2-choume,
Minato-ku,Tokyo,Japan 107-0052

Distributor's Name:
MINOLTA-QMS, Inc.
One Magnum Pass
Mobile, AL 36618

Emergency Telephone Number:
1-800-622-5546

Product Name:

JAPAN: magicolor 330

Toner(Magenta)

ASIA PACIFIC REGION:

2. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Nature:

Chemical Name	Ingredients (% by wt.)	CAS Registry Number
Polyester	65-70	—
Cu-Zn ferrite powder	25-30	—
Red pigment	< 5	—
Titanium dioxide	< 1	—
Amorphous silica	< 1	—

UN Hazard Class : None

UN Number : None

3. HAZARDOUS IDENTIFICATION

Physical and Chemical Hazard: There are no significant hazards associated with this product.

Adverse Human Health Effects: There are no significant hazards associated with this product.

Environmental Effects: There are no significant hazards associated with this product.

4.FIRST-AID MEASURES

Eye contact : Flush with a large amount of water for at least 15 minutes. Seek medical advice.
Skin contact : Wash with soap and water.
Inhalation : Remove from exposure and provide fresh air. Rinse mouth with water.
Ingestion : Rinse mouth with water. Give several glasses of water to drink and seek medical advice.

5. FIRE-FIGHTING MEASURES

- Specific method : In case of fire use extinguishing media.
When in a machine, treat as an electrical fire.
- Extinguishing media : Water spray, Foam, Dry chemicals

6. ACCIDENTAL RELEASE MEASURES

Shut off ignition sources. For small spills, sweep up or soak up with damp cloth.
For large spills, wear proper protective equipment and place waste material in closed container.
Dispose of in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

- Handling : Do not incinerate toner or a toner cartridge. Do not disassemble a cartridge.
- Storage : Keep in cool, dry and well-ventilated area. Keep out of reach of children.

8. EXPOSURE CONTROL /PERSONAL PROTECTION

- Control Parameter
ACGIH TLV (1999) : 10 mg/m³ (Total)
3 mg/m³ (Respirable)
- Precautionary Measures : None required when used as intended in Fuji Xerox equipment.
For use other than normal customer operating procedures (such as in bulk toner processing facilities), local exhaust ventilation may be required.
- Personal Protective Equipment: None required when used as intended in Fuji Xerox equipment.
For use other than normal customer operating procedures (such as in bulk toner processing facilities), protective glove, goggles and respirators may be required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor:	Red Powder / Faint Odor		
Boiling Point(OC):	Not applicable	Vaper Pressure:	Not applicable
Volatile (%):	Not applicable	Softening Point:	Not available
Specific Gravity(H ₂ O=1):	Not available	Initial Boiling Point:	Not applicable
Solubility in water:	Negligible	Other Data:	None

10. STABILITY AND REACTIVITY

- Flash Point(OC) :Not applicable Auto-Ignition Temperature:Not applicable
- Explosion Limit :Not applicable
- Flammability :Not flammable under conditions of use
- Spontaneous Combustibility / Reactivity with water :None
- Self-reactivity / Explosive :None
- Dust Explosive : Like most organic materials in powder form, it can form explosive mixtures when dispersed in air.
- Stability and Reactivity :Stable
- Other Data :None

11. TOXICOLOGICAL INFORMATION

Skin Corrosive	: None		
Skin Irritant (rabbit)	: Not an irritant ¹⁾	Eye Irritant (rabbit):	Not an irritant ¹⁾
Human Patch	: No evidence of skin irritation or sensitization. ¹⁾		
Sensitization	: Skin (guinea-pig)	:	Not a sensitizer ¹⁾
Acute Toxicity	Swallowed→LD50 (rat)	:	> 5000 mg/kg ¹⁾ (practically non-toxic)
	Skin→LD50 (rabbit)	:	> 5000mg/kg ¹⁾ (practically non-toxic)
	Inhaled→LC50 (rat)	:	> 5.0mg/L/4hr ¹⁾ (practically non-toxic)
Chronic Toxicity	: The results obtained from a Xerox sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m ³) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m ³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m ³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment. ¹⁾		
Carcinogenicity	: Not classified as "Carcinogens" ^{ref.1)} .		
Mutagenicity: Ames Assay:	: <u>Negative</u>		
Reproduction and Development:	: Not classified as "Reproductive and Development chemicals" ^{ref.2)} .		

1) This information is based on toxicity data for similar materials and ingredients.

12. ECOLOGICAL INFORMATION

Biodegradability	: Not available.		
Bioaccumulation	: Not available.		
Acute Toxicity	96hours LC 50(rainbow trout)	:	> 500mg/L ¹⁾ (practically non-toxic)
	48hours EC 50(daphnia magna)	:	> 100mg/L ¹⁾ (practically non-toxic)
Other Information	: None		

1) This information is based on toxicity data for similar materials and ingredients.

13.DISPOSAL CONSIDERATION

Dispose of in accordance with federal, state and local regulations.

14.TRANSPORT INFORMATION

Transport in accordance with federal , state, and local regulations.

15.REGULATORY INFORMATION

Ensure this product in compliance with federal requirements and ensure doformity to local regulations.

16.OTHER INFORMATION

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

References

- 1: ◆ IARC Monographs on the Evaluation Carcinogenic Risks to Humans (WHO.International Agency for Rsearch on Cancer)
 - ◆ National Toxicology Program(NTP) Report on Carcinogens (NTP)
 - ◆ TLVs and BEIs (American Conference of Governmental Industrial Hygienists)
 - ◆ Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provision s relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)
 - ◆ Journal of Occupational Health(Japan Society for Occupational Heathh)
- 2: ◆ Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provision s relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)