

SAFETY DATA SHEET GLITTER GLUE

58291/58292/58293/58294/58295/58296

1. Identification of the substance/preparation and the company

Product Name: Glitter Glue,
brand LIDERPAPEL

Product Code: 58291/58292/58293/58294/58295/58296

Emergency call: 34 952 322 804

Supplier: Comercial del Sur de Papelería, S.L.

Address: Calle Bodegueros, 54
29006 – Málaga, Spain

Phone number: 34 952 322 804

Fax: 34 902 107 245

Contact Person: Mr. Manuel Barrientos

2. Composition/information on ingredients

Ingredient Name	CAS No.	Content (aprox.)	Molecular
Polyvinylpyrrolidone	9002-89-5	8.00%	$(C_2H_4O)_n$
Polyethylene terephthalate	25038-59-9	8.00%	$(C_{10}H_8O_4)_n$
Carboxymethylcellulose	9004-32-4	8.00%	R_nOCH_2-COOH
Water	7732-18-5	76%	H ₂ O

3. Hazards Identification

Inflamable at 100°C.

Harmful if swallowed.

This product should be used in places among -5°C – 40°C.

4. First Aids Measures

General: Show this document to the doctor in case you need medical assistance.

Inhalation: Move the person to an open area where he/she can get fresh air. Keep the affected person resting and get medical assistance.

Ingestion: DO NOT MAKE THE PERSON THROW UP. Get medical assistance immediately. Give the person plenty water.

Skin: Wash the affected zone with plenty water and soap. Get medical assistance.

Eyes: Wash the eyes with plenty water, specially the under the eyelid. Get medical assistance.

5. Fire Fighting Measures

Unsuitable extinguish media: N/A

Special Exposure Hazards in fire: No unusual fire or explosion hazards are anticipated unless the water is 100% evaporated.

Required Special Protective Equipment for Fire Fighters: Not necessary

6. Accidental Release Measures

Personal Precaution for bulk release: N/A

Eye protection required for bulk release: Yes

Chemical Protection Gloves for bulk release: Yes

Environmental Precautions: Since regulations vary, consult applicable regulations or authorities before disposal.

7. Handling and Storage

Handling: No special precautions if it kept in container provided.

Storage: Use dry places for storage.

8. Exposure Controls and Personal Protection

Ventilation: Use it in places with good ventilation.

Take measures to prevent: do no ingest

Exposure Control Limit and Source: None required

Respiratory Protection: None required in normal use

Hand Protection: None required in normal use

Skin Protection: None required in normal use

Eye Protection: Avoid eye contact.

9. Physical and Chemical Properties

Appearance: Colorless

Odor: None.

Solubility in Water: 100% in water (slowly)

Boiling Point: 100°C

Melting Point: 64-65°C

Viscosity: 1400-1560MPA.S.

PH: 8.0 ~ 10.0

Flash Point: 79°C

Storage stability: less than 12 months, guaranteed

Volatility (in Water): 53%

Especific Gravity (H2O=1) 1.05-1.15

10. Stability and Reactivity

Stability: Normally stable among 0 – 40°C.

Conditions to Avoid: Avoid contact with acid minerals, heat and fire.

11. Toxicological Information

Inhalation: None required in normal use

Ingestion: None required in normal use

Eyes: None required in normal use

12. Ecological Information

Not determined.

13. Disposal considerations

Recover and reclaim or recycle, if practical. Dispose of in accordance with Local Authority requirements. Contact specialist disposal companies.

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

Non-regulated.

15. Regulatory Information

This product is not considered under the European regulations for hazardous substances.

16. Other Information

Do not handle until the manufacturer's safety precautions have been read and understood.

Regulations require that all the employees be trained on MSDS for all the products with which they come in contact.

It does not guarantee the properties of this products manufacturer by other suppliers.

The user is responsible for taking the necessary measures to meet the requirements of laws and regulations in force.

Aprobado: 08/11/2010

Empresa: CSP, S.L.