



MATERIAL SAFETY DATA SHEET

Preparation Date : November 28, 1997
Revision Date : January 23, 2001

MSDS No. T2510KEF6W
Page 1 of 5

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : T-2510E Black Toner
Used for : Model : ED-2510, 2550 Toshiba Copier
Company Name : Toshiba Tec Corporation
Address : 1-1, Kanda Nishikicho, Chiyoda-ku, Tokyo 101-8442, Japan
Telephone Number : +81-3-3438-6854
Manufacturer Name : (1) Toshiba Tec Europe Imaging Systems S.A.
Euro Channel Martine Eglise
Neuville Les Dieppe, France 76370

Contact : (1) Toshiba America Business Solutions, Inc.
Emergency Tel. No. : 800-424-9300
For calls within the U.S. only.
(2) Toshiba of Canada Limited
Tel. No. : 905-405-3500 For calls within Canada only.
(3) Toshiba Europe GmbH
Tel. No. : +49-2131-158-01
(4) Toshiba (Australia) Pty, Ltd.
Tel. No. : +61-2-98873322

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT(S)</u>	<u>CAS No.</u>	<u>wt. %</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Styrene acrylate copolymer	: 25767-47-9	> 86	Not listed	Not listed
Carbon black	: 1333-86-4	5 - 8	3.5 mg/m ³	3.5 mg/m ³
Ethylene propylene copolymer	: 9010-79-1	2 - 4	Not listed	Not listed
Inorganic pigment	: 25869-005	< 2	Not listed	Not listed

SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview : Product is stable.
If used as intended, the product does not present an acute or chronic health hazard.

Physical Hazards : This product is not classified as flammable or combustible.
It will burn in case of fire.
Avoid contact with strong oxidizers such as chromate, bromate and nitrates.

Routes of Exposure : Inhalation, dermal contact, incidental ingestion

Inhalation : Excessive inhalation may cause irritation of the nose, throat and respiratory tract.

Eye Contact : Not an irritant.

Dermal Contact : Not an irritant; not a sensitizer.

Ingestion : None currently known.

Chronic Effects/Carcinogenicity : See Section 11 Supplemental Health Information.

Reproductive/Developmental: None identified.

MATERIAL SAFETY DATA SHEET

MSDS No.T2510KEF6W

Product Identity : T-2510E Black Toner

Page 2 of 5

- Target Organs : Prolonged breathing of high concentrations may cause adverse effects on the respiratory system.
- Signs and Symptoms of Exposure : Prolonged exposure to dusts of this product may irritate the respiratory system.
- Medical Conditions Aggravated by Exposure to This Product : Respiratory disorders, such as asthma, may be aggravated by prolonged exposure to high concentrations of this product.

SECTION 4 FIRST AID MEASURES

- Eye Contact : Flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a physician.
- Skin Contact : Wash with soap and water. Wash clothing before reuse. If irritation occurs or is persistent, seek medical attention.
- Ingestion : Dilute stomach contents with several glasses of water.
- Inhalation : Remove from exposure area to fresh air. Contact a physician if there is any difficulty in breathing or other signs of distress.

SECTION 5 FIRE FIGHTING MEASURES

- General Hazard : Product will burn in case of fire.
- Flash Point : Not applicable
- Flammable Limits : Not applicable
- Autoignition Temperature : Not applicable
- Flammability classification : Not applicable
- Extinguishing Media : Foam, halon, carbon dioxide, dry chemical & water fog.
- Unusual Fire & Explosion Hazard : Combustible powder. Dust of this product at sufficient concentrations can form explosive mixtures with air.
- Fire Fighting Procedures None
- Hazardous Combustion Products : Carbon monoxide, carbon dioxide and smoke.

SECTION 6 ACCIDENTAL RELEASE MEASURES

- Spills or Leaks : Vacuum-clean spilled toner and carefully transfer into sealable waste container. If no vacuum-cleaner is available, sweep slowly to minimize generation of dust during clean-up. Residue can be removed with soap and cold water.

SECTION 7 HANDLING AND STORAGE

- Handling : Avoid generating dust, keep away from ignition sources.
- Prevention of Fire and Explosion : This material is capable of creating a dust explosion. Keep away from heat, sparks & flame.
- Storage : Keep container in cool and dry area.
- Hygienic Practices : Avoid inhalation and ingestion. Avoid getting in eyes, on skin or clothing. Wash hands thoroughly after handling, and before eating, drinking, or smoking.

MATERIAL SAFETY DATA SHEET

MSDS No.T2510KEF6W

Product Identity : T-2510E Black Toner

Page 3 of 5

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits : OSHA (TWA/PEL as the product) 15mg/m3 (Total dust)
5mg/m3 (Respirable dust)
ACGIH (TWA/TLV as the product) 10mg/m3 (Total dust)
DFG-MAK 6mg/m3 (Total dust)

Engineering Controls : Maintain adequate ventilation.

Eye Protection : Not required under intended use.

Skin Protection : Not required under intended use.

Respiratory Protection : : Not required under intended use.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Fine solid powder

Color : Black

Scent : Odorless

Melting Point : 110C - 150C (Softening point)

Specific Gravity(H₂O=1) : 1.1 - 1.5

Vapor Pressure : Not applicable

Vapor Density (Air=1) : Not applicable

Evaporation Rate : Not applicable

Solubility in Water : Negligible

pH Value : Not a water-based product, therefore not applicable.

SECTION 10 STABILITY AND REACTIVITY

Stability : Stable

Incompatibility : None identified.

Hazardous Decomposition Products : Carbon monoxide and carbon dioxide.

Hazardous Polymerization: Will not occur.

SECTION 11 SUPPLEMENTAL HEALTH INFORMATION

Acute oral toxicity : LD50 is greater than 5,000mg/kg.

Acute inhalation : LC50(4H) is in excess of 2.16mg/l.(This was the highest attainable concentration.)

Eye irritation : Non irritant.

Skin irritation : Non irritant.

Skin sensitization : Non sensitization.

Mutagenicity : Negative in the Ames test.

Carcinogenicity :

In 1996, the IARC classified carbon black as a Group 2B carcinogen (possible human carcinogen).

Chronic Effects :

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4 mg/m³) exposure group. These findings are attributed to "lung overloading, a general response to excessive amounts of any dust retained in the lungs for a prolonged period.

SECTION 12 ECOLOGICAL INFORMATION

This material has not been tested concerning environmental effects (fish toxicity, bird toxicity, invertebrate toxicity, phyto-toxicity and environmental fate).

MATERIAL SAFETY DATA SHEET

MSDS No.T2510KEF6W

Product Identity : T-2510E Black Toner

Page 4 of 5

SECTION 13 DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulation.
Empty plastic container may be recycled.

SECTION 14 TRANSPORTATION INFORMATION

Special Precautions : None
International Transport Information
UN Classification Numb : Not applicable
DOT Identification Numl : Not applicable
Domestic Transportatior : Not applicable
Other Information : Not applicable

SECTION 15 REGULATORY INFORMATION

US/Canada Information

OSHA Hazard Communication Standard, 29CFR 1910. 1200 : Not regulated.

Toxic Substance Control Act (TSCA) :

All chemical substances in this product comply with all applicable rules or orders under TSCA.

RCRA (40 CFR 261) : Product or components not listed.

CERCLA/SARA Information Not regulated.

NTP Annual Report on Carcinogens : Not listed as a NTP carcinogen.

IARC : See section 11.

California Proposition 6 :

Neither toner, or any of the components, are listed as chemicals known to the State of California to cause cancer or reproductive system effects.

Controlled Products Regulations(Canada) :

This product has been classified in accordance with the hazard criteria of the CPR.

Other State Regulation: :

Carbon black is listed in the New Jersey Right to Know List, Pennsylvania Hazardous Substance List, and Massachusetts Substance List.

U.S./Canada Label Statements :

LOW HAZARD FOR RECOMMENDED HANDLING. Minimize dust generation and accumulation.

Use with adequate ventilation.

EU Information

Label Information According to Directives 67/548 EEC & 88/379 EEC :

Symbol & Indication : Not required

Risk Phrase : Not required

Safety Advise Phrase : Not required

EEC Directive(76/548 EEC, 79/831 EEC, 92/32 EEC) :

All chemical substances in this product comply with all applicable rules or order under EEC Directive.

The Subject of Specific Provisions in Relation to Protection of Man or the Environment.

Directive 76/769/EEC : Not required

National requirement : No specific regulations or restrictions.

MATERIAL SAFETY DATA SHEET

MSDS No.T2510KEF6W

Product Identity : T-2510E Black Toner

Page 5 of 5

SECTION 16 OTHER INFORMATION

National Fire Protection Association (NFPA) Classification :

Flammability : 1 Reactivity : 0
Health : 0 (0 = insignificant, 1 = slight)

Hazardous Materials Information Systems (HMIS) :

Red (Flammability) : 1 Yellow (Reactivity) : 0
Blue (Acute Effects) : 0

Notice : Although reasonable care has been taken in the preparation of such information, Toshiba Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

References : IARC (1996) IARC Monographs on the Evaluation of the Carcinogenic Risks of Chemicals to Humans, Vol. 65, Printing Processes and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp. 149-261.
H. Muhle, B. Bellmann, O. Creutzenberg, C. Dasenbrock, H. Ernst, R. Kilpper, J. C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka, and R. Mermelstein (1991).
Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats, Fundamental and Applied Toxicology 17, pp. 280-299.

Abbreviation :

- (1) OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA).
- (2) ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA).
- (3) DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft.
- (4) TWA stands for Time Weighted Average.
- (5) IARC stands for International Agency for Research on Cancer.
- (6) NTP stands for National Toxicology Program (USA).
- (7) NIOSH stands for National Institute for Occupational Safety and Health (USA).
- (8) DOT stands for Department of Transportation (USA).

Prepared by : Toshiba Tec Corporation
Quality Assurance Department -II
70, Yanagi-cho, Saiwai-ku, Kawasaki-shi, 212-8501 Japan
Telephone No. : +81-44-548-5602
