



SAFETY DATA SHEET

Sheet Ref: SD 500-100-0274S

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

Product Name: SUPER THICKENED BLEACH 4.7%

Address/Tel: Coventry Chemicals Limited
Woodhams Road, Siskin Drive
Coventry, CV3 4FX

For technical and non-emergency calls Tel: 024 7663 9739 or Fax: 024 7663 9717

**For advice on medical emergencies, fires, spillages or chemical hazards
Tel: 01865 407333 (24h)**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Product Description: Viscous bleach formulated to cling to surfaces.

Hazardous Ingredients	EINECS No	CAS No	%	Symbols	R Phrases
Sodium hypochlorite solution, available chlorine	231-668-3	7681-52-9	0-5	C	R31-34
Sodium C10-C16 alkylethoxy- sulphate		68585-34-2	0-5	Xi	R36/38
Alkylamine oxide	287-010-0	85408-48-6	0-5	Xi, N	R38-41-50
Sodium hydroxide	215-185-5	1310-73-2	<0.5	C	R35

3. HAZARDS IDENTIFICATION

Irritating to skin and eyes.
Contact with acids liberates toxic gas (chlorine).

4. FIRST-AID MEASURES

Inhalation: If exposed to chlorine or other vapours, remove to fresh air. Obtain medical attention.

Skin contact: Remove contaminated clothing. Wash thoroughly with plenty of running water. Obtain medical attention if symptoms develop.

Eye Contact: Keeping eye open, immediately irrigate thoroughly with water or eyewash for 15 minutes. Obtain medical attention immediately.

Ingestion: Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give water to drink. Obtain medical attention immediately.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Water, foam or dry chemical.

Non-combustible but when involved in a fire, toxic vapours (chlorine) will be evolved, thus a self-contained breathing apparatus should be worn.

6. ACCIDENTAL RELEASE MEASURES

Small Spillages: Dilute to waste with plenty of water.

Large Spillages: Wearing protective clothing including rubber boots, absorb with sand, earth or granules (do not use sawdust or paper). Wash down site well with water.

7. HANDLING AND STORAGE

Handling: Adequate ventilation is required. Avoid contact with skin and eyes. Do not breathe mist. Avoid contact with other cleaning agents.

Storage: Store in a cool place away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear PVC or rubber gloves, aprons, eyeshields when handling concentrate.

Workplace Exposure Limits:

Hazardous Ingredient	LTEL 8hr ppm	TWA mg/m ³	STEL ppm	mg/m ³
sodium hydroxide	-	-	-	2
In case of chlorine emission, the WEL for chlorine should be observed:				
chlorine	0.5	1.5	1	2.9

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: straw/yellow liquid
| Odour: faintly chlorinous
| pH: typical 12.7
| Flash point °C: N/A
| Relative Density (20°C): 1.09 typical
| Solubility in water: soluble

10. STABILITY AND REACTIVITY

- Stability:** Product decomposes over time. Factors that increase the rate of decomposition are: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11, and exposure to light.
- Conditions to Avoid:** Contact with acids, most metals, high temperatures, direct sunlight.
- Materials to Avoid:** Corrosive to most metals, to painted surfaces and to most organic materials.
- Hazardous Decomposition Products:** Chlorine gas.

11. TOXICOLOGICAL INFORMATION

- Inhalation:** Little hazard if stored correctly.
Vapour containing chlorine irritates the nose, throat and lungs.
- Skin Contact:** Will cause irritation. Repeated or prolonged contact may cause irritation and eventually dermatitis.
- Eye Contact:** Will cause irritation and inflammation.
- Ingestion:** Will irritate the mouth, throat and stomach.

12. ECOLOGICAL INFORMATION

Biodegradable. To safeguard the environment, this product is rapidly broken down after use into harmless materials by sewage treatment and natural processes.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

13. DISPOSAL CONSIDERATIONS

- Product:** Where practical, waste or surplus material should be recovered and recycled. Dispose of according to national and local authority regulations for via an appropriately licensed waste contractor.
- Packaging:** Packaging is recyclable and, where practical, containers and packaging should be recycled by a licensed contractor. Wash out empty containers with water before disposal.

Product Name: SUPER THICKENED BLEACH 4.7%

14. TRANSPORT INFORMATION

UN No: -
Road Carriage: Not classified as hazardous
TREM Card No: -
ADR/RID Class: -
IMDG Class and Packing Group: -
Proper Shipping Name: -
Marine Pollutant: No
Intrastat/Commodity Code: 2828-90-00

15. REGULATORY INFORMATION

CHIP Classification: Irritant
Hazard Symbol: Xi



Risk Phrases:

R31 - Contact with acids liberates toxic gas.
R36/38 - Irritating to eyes and skin.

Safety Phrases:

S2 - Keep out of reach of children.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 - After contact with skin, wash immediately with plenty of water.
S50 - Do not mix with other chemicals

16. OTHER INFORMATION

Text of the R-phrases that are allocated to the ingredients listed in section 2 of this safety data sheet.

R31 Contact with acids liberates toxic gas
R34 Causes burns
R35 Causes severe burns
R36/38 Irritating to eyes and skin
R38 Irritating to skin
R41 Risk of serious damage to eyes
R50 Very toxic to aquatic organisms

Date: May 2006

Revision: 10

(Revised sections are indicated by sidelining.)

PLEASE ENSURE THIS SAFETY DATA SHEET IS PASSED TO THE APPROPRIATE PERSONS IN YOUR COMPANY, WHO ARE CAPABLE OF ACTING ON THE INFORMATION.

This Data Sheet was prepared in accordance with directive 91/155/EEC and regulation 5 of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 or as amended.
The information given is based on our knowledge of this product at the time of publication.
Occupational exposure standards were taken from the current edition of EH40 (UK HSE).

The information this sheet contains does not constitute on its own the user's own assessment of workplace risk as required by other health and safety legislation eg. HSW ACT COSHH, MHSW Regulations or other. The user's attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended.