Date: 20/02/2013 Page 1/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: CP SAN BLACK BALL PEN INK

Product code: CP SAN BLACK.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 300RT, 500 RT, 550RT, 700RT, Quatro

1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Irritant for the respiratory tract (Xi, R 37).

Danger of cumulative effects (R 33).

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Harmful

Contains:

CAS 495-54-5
EC 208-096-8
G03-057-00-5
BENZYL ALCOHOL
PHENOXYETHANOL -2

Risk phrase:

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 22 Harmful if swallowed.

Version: N°1 (20/02/2013)

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

Date: 20/02/2013 Page 2/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

R 33 Danger of cumulative effects.

Safety phrase:

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

S 13 Keep away from food, drink and animal feedingstuffs.

S 25 Avoid contact with eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S 37 Wear suitable gloves.

S 64 If swallowed, rinse mouth with water (only if the person is conscious).

2.3. Other hazards

No data available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 603-098-00-9	PHENOXYETHANOL -2	GHS07, Wng	25 <= x % < 50	
CAS: 122-99-6		Xn		
EC: 204-589-7		H:302-319		
		R: 36-22		
CAS: 65113-55-5	C.I. SOLVENT BLACK 46	GHS07, Wng	10 <= x % < 25	
EC: 265-449-9		Xi		
		H:315-319-335		
		R: 36/37/38		
INDEX: 603-057-00-5	BENZYL ALCOHOL	GHS07, Wng	10 <= x % < 25	
CAS: 100-51-6		Xn		
EC: 202-859-9		H:332-302		
		R: 20/22		
CAS: 110-98-5	1,1'-OXYDIPROPAN-2-OL	GHS07, Wng	2.5 <= x % < 10	
EC: 203-821-4		Xi		
		H:315-319-335		
		R: 36/37/38		
CAS: 112-80-1	OLEIC ACID	GHS07, Wng	2.5 <= x % < 10	
		Xi		
		H:315-319-335		
		R: 36/37/38		
CAS: 112-90-3	(Z)-OCTADEC-9-ENYLAMINE	GHS07, GHS05, Dgr	2.5 <= x % < 10	
EC: 204-015-5		C		
		H:302-314.1B		
		R: 34-22		
CAS: 509-34-2	C.I. SOLVENT RED 49	GHS07, GHS08, Wng	2.5 <= x % < 10	
EC: 208-096-8		Xn		
		H:302-373		
		R: 33-22		
CAS: 495-54-5	C.I. SOLVENT ORANGE 3	GHS07, GHS09, GHS08, Wng	0 <= x % < 2.5	
		Xn,N		
		H:302-315-341-410		
		R: 38-68-50/53-22		

Date: 20/02/2013 Page 3/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

Do not proceed with mouth-to-mouth or mouth-to-nose resuscitation.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water
- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

Date: 20/02/2013 Page 4/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Version: N°1 (20/02/2013)

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

Date: 20/02/2013 Page 5/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 21/06/2010):

CAS VME: VME: Excess Notes 122-99-6 20 ml/m3 110 mg/m3 2(I) DFG, H, Y

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version: N°1 (20/02/2013)

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: viscous liquid.

Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: not specified.

Flash point interval: not relevant.

Vapour pressure : Below 110 kPa (1.10 bar).

Density: not stated.

Water solubility: Insoluble.

Viscosity: 1700 +/- 500 cP

Melting point/melting range: not specified.

Self-ignition temperature: not specified.

Decomposition point/decomposition range: not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

% VOC:

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

0,6

Date: 20/02/2013 Page 6/9

Revision: N°4 (20/02/2013)

Company: Newell Rubbermaid UK Limited

10.4. Conditions to avoid

Avoid:

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from:

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

Version: N°1 (20/02/2013)

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

Date: 20/02/2013 Page 7/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

11.1.1. Substances

Acute toxicity:

C.I. SOLVENT ORANGE 3 (CAS: 495-54-5)

Oral route: DL50 = 1650 mg/kg

Species: Rat (recommended by the CLP)

OLEIC ACID (CAS: 112-80-1)

Oral route : DL50 = 25000 mg/kg

Species: Rat

1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5)

Oral route : DL50 = 14850 mg/kg

Species: Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

Substances classified as category 1 acute toxicity:

C.I. SOLVENT ORANGE 3 (CAS: 495-54-5)

Fish toxicity: Duration of exposure: 48 h

CL50 = 0.3 mg/l Species : Oryzias latipes

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK):

WGK 2 (VwVwS vom 27/07/2005, KBws): Hazardous for water.

Date: 20/02/2013 Page 8/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

14.1. UN number

2810

14.2. UN proper shipping name

UN2810=TOXIC LIQUID, ORGANIC, N.O.S.

14.3. Transport hazard class(es)

- Classification:



6.1

14.4. Packing group

Ш

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	6.1	T1	III	6.1	60	5 L	274 614	E1	2	Е

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	6.1	-	III	5 L	F-A,S-A	223 274	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	6.1	-	III	655	60 L	663	220 L	A3 A4	E1
								A137	
	6.1	-	III	Y642	2 L	-	-	A3 A4	E1
								A137	

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available.

Name: CP SAN BLACK BALL PEN INK - CP SAN BLACK

Date: 20/02/2013 Page 9/9 Revision: N°4 (20/02/2013) Company: Newell Rubbermaid UK Limited

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

Germany: WGK 2 (VwVwS vom 27/07/2005, KBws)

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3:

H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H341	Suspected of causing genetic defects.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H410	Very toxic to aquatic life with long lasting effects.			
R 20/22	Harmful by inhalation and if swallowed.			
R 22	Harmful if swallowed.			
R 33	Danger of cumulative effects.			
R 34	Causes burns.			
R 36	Irritating to eyes.			
R 36/37/38	Irritating to eyes, respiratory system and skin.			
R 38	Irritating to skin.			
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
R 68	Possible risk of irreversible effects.			

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).