

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the preparation	HP Color LaserJet Q7560A Black Print Cartridge		
Use of the preparation	This product is a black toner preparation that is used in HP Color LaserJet 3000 series printers.		
Company identification	Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN		
Emergency telephone number			
Poison Information Center	0207771 5307		
Hewlett-Packard health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-503-494-7199		
General information telephone number			
	1 344 36-0000		
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Date prepared	03-May-2007		
SDS number	194733		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	CAS number % by weight		EU classification	
Styrene acrylate copolymer	Trade secret	75 - 85			
Wax	Trade secret	5 - 15			
Carbon black	1333-86-4	1 - 6	435-640-3		
Amorphous silica	7631-86-9	1 - 2	418-260-2	Xn, R21	

3. HAZARDS IDENTIFICATION

Classification	This product is not classified according to EU Directive 1999/45/EC.	
Acute health effects		
Skin contact	Unlikely to cause skin irritation.	
Eye contact	May cause transient slight irritation.	
Inhalation	Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.	
Ingestion	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.	
Potential health effects		
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation	
	Ingestion is not expected to be a primary route of exposure for this product under normal use conditions.	
Chronic health effects	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.	
Carcinogenicity	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.	



Other information

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

4. FIRST AID MEASURES	
First aid procedures	
Eye	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Skin	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

5. FIRE-FIGHTING MEASURES

Flash point and method	Not applicable
Auto ignition temperature	Not applicable
Lower explosion limit	Not flammable
Hazardous combustion products	Carbon monoxide and carbon dioxide.
Extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Unusual fire and explosion hazard	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Special firefighting procedures	None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Minimize dust generation and accumulation.	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	
Procedures if material is released or spilled.	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.	
7. HANDLING AND STORAGE		
Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eves. Use	

7.

Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Storage	Keep out of the reach of children. Store at room temperature in the original container. Keep the container tightly closed and dry. Store away from strong oxidizers.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TL) 10 mg/m3		
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)		
United Kingdom - Workplace I Amorphous silica	Exposure Limits (WELs) - STELs 7631-86-9 18 mg/m3 STEL (inhalable dust); 7.2 mg/m3 STEL (respirable dust)		
United Kingdom - Workplace I Carbon black	Exposure Limits (WELs) - TWAs 1333-86-4 3.5 mg/m3 TWA		
United Kingdom - Workplace I Amorphous silica	Exposure Limits (WELs) - TWAs 7631-86-9 6 mg/m3 TWA (inhalable dust); 2.4 mg/m3 TWA (respirable dust)		
United Kingdom - Workplace I Carbon black	Exposure Limits (WELs) - STELs 1333-86-4 7 mg/m3 STEL		
Personal protective equip	nent		
General	No personal respiratory protective equipment required under normal conditions of use.		
Exposure guidelines	Use in a well ventilated area.		
PHYSICAL AND CHEMIC	AL PROPERTIES		
рН	Not applicable		
Vapour pressure	Not applicable		
Boiling point	Not applicable		
Softening point	100 - 150 °C (212 - 302 °F)		
Solubility	Negligible in water. Partially soluble in toluene and xylene.		
Specific gravity	1 - 1.2 (H2O = 1)		
Flash point	Not applicable		
Viscosity	Not applicable		
Vapour density	Not applicable		
Evaporation rate	Not applicable		
Flammability	Not flammable		
Appearance	Fine powder		
Form	solid		
Odour	Slight plastic odor		
	No information available.		
Oxidising properties	Decomposition temperature: > 200 ° C		
Other information	Decomposition temperature: > 200 ° C		

10. STABILITY AND REACTIVITY

Stability	Stable under normal storage conditions.
Conditions to avoid	Imaging Drum: Exposure to light



Hazardous polymerisation	Will not occur.
Hazardous decomposition products	Carbon monoxide and carbon dioxide.
Incompatibility	Strong oxidizers

11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation. Refer to Section 3 for potential health effects and Section 4 for first aide measures.

Dermal irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.	
Eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.	
Sensitisation	Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).	
Chronic toxicity	No information available.	
Oral toxicity	LD50/oral/rat >2000mg/kg, (OECD 401), Not harmful.	
	Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC.	
Inhalation toxicity	No information available.	
	Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC.	
Carcinogenicity	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
Mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)	
Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).	
2. ECOLOGICAL INFORMAT	[ON	

12. ECOLOGICAL INFORMATION

Other information This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

General

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.





15. REGULATORY INFORMATION International regulations All chemical substan

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. OTHER INFORMATION

Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA		
Ingredient risk phrase definition(s)	R21	Harmful in contact with skin.	
Other information	This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.		
Issue date	May 3 2007 12:48PM		
Revision	2		
Replaces sheet dated	Nov 5 2006 9:03PM		
Preparation and revision information	 Hazards identification: Routes of exposure Hazards identification: Carcinogenicity Exposure controls/personal protection: Exposure limit values Physical & Chemical Properties: Physical & Chemical Properties Physical and chemical properties: Other information Toxicological information: Carcinogenicity Disposal considerations: Disposal instructions Transportation Information: Material Transportation Information Regulatory information: State regulations 		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packar Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		



Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible exposure limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds